

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	50678	((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near5 (entry (entry adj2 point)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:31
L2	3980	((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near5 (entry (entry adj2 point))) near15 (message request)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:32
L3	3596	((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near5 (entry (entry adj2 point))) near10 (message request)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:32
L4	0	((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near5 (entry (entry adj2 point))) near10 (message request) near15 ((PrivID ID (private near2 identifier) MSISDN IMSI) near5 (receiv\$4 evaluat\$4)) near15 ((session adj initialted adj protocol) or SIP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:37
L5	0	((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near5 (entry (entry adj2 point))) near20 (message request) near15 ((PrivID ID (private near2 identifier) MSISDN IMSI) near5 (receiv\$4 evaluat\$4)) near20 ((session adj initialted adj protocol) or SIP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:37
L6	3	((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near5 (entry (entry adj2 point))) near20 (message request) near15 ((PrivID ID (private near2 identifier) MSISDN IMSI)) near20 ((session adj initialted adj protocol) or SIP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:38
L7	4	((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near10 (entry (entry adj2 point))) with (message request) near15 ((PrivID ID (private near2 identifier) MSISDN IMSI)) with ((session adj initialted adj protocol) or SIP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:41
L8	1	7 not 6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:41

L9	87	((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near10 (entry (entry adj2 point))) with ((session adj initialed adj protocol) or SIP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:44
L14	1	((((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near5 (entry (entry adj2 point))) near20 (message request) near15 ((PrivlD ID (private near2 identifier) MSISDN IMSI)) near20 ((session adj initialed adj protocol) or SIP)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:08
L15	8	((((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near10 (entry (entry adj2 point))) with ((session adj initialed adj protocol) or SIP)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:09
L16	8	((((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near10 (entry (entry adj2 point))) with ((session15 not 14 adj initialed adj protocol) or SIP)).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:09
L17	7	15 not 14	US-PGPUB; USPAT	OR	ON	2010/03/11 15:10
S2	4	((STEPHAN) near2 (BLICKER)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/09/29 09:54
S3	4	((MATTHIAS) near2 (BRITSCH)).INV.	US-PGPUB; USPAT	ADJ	ON	2008/09/29 10:00
S4	3	S2 not S3	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/29 10:01
S5	3	S3 NOT S2	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/29 10:01
S7	62	t\$1mobile deutschland\$.as.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/29 10:23
S8	0	t\$1mobile deutschland\$.as.m and transparent	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/29 10:34
S11	2	(IP packet header near3 authenticat \$)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/29 11:11
S12	264	Assign\$3 IP address near2 (mobile OR cell OR cell\$1phone)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/29 11:15
S13	0	S11 and S12	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/29 11:15
S14	0	("2008/0034401").URPN.	USPAT	ADJ	ON	2008/09/29 11:19
S15	1	10/566584.app.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/29 12:59

S16	1471	(IP address near3 authenticat\$)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/29 13:49
S17	30	S16 and S12	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/29 13:50
S18	1	"6775262".pn.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/30 08:32
S19	94	((A3\$1A8) or A3 or A8) near2 algorithm) same (SIM card)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/30 08:53
S21	1	S19 same (PDP context)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/30 08:55
S22	5	S19 and (PDP context)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/09/30 08:56
S23	1175	(726/27).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/01 08:56
S24	1471	(IP address near3 authenticat\$)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 08:57
S25	9	S23 and S24	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 08:57
S26	591	726/28.ccls.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 09:03
S27	10	S26 and S24	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 09:03
S28	798	MSI SDN and IP and authentication	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 09:32
S29	2	MSI SDN and IP and authentication and (S23 or S25)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 09:33
S30	0	(MSI SDN same IP and authentication) and (S23 or S25)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 09:34
S31	402	(MSI SDN same IP and authentication)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 09:35
S32	2734290	(compar\$3 or match\$3 or map\$3 (MSI SDN or IP))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 09:53
S33	283	S31 and S32	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 09:53
S34	264	Assign\$3 IP address near2 (mobile OR cell OR cell\$1phone)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 11:24

S35	143	S34 and S32	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 11:24
S36	2734337	(compar\$3 or match\$3 or map\$3 near1 (MSISDN or IP))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 11:26
S37	33	("20010027490" "20020064164" "20020067704" "20020105922" "20020122432" "20040032844" "5568478" "5586121" "5610910" "5818845" "5828666" "5991292" "6005580" "6075792" "6115370" "6327254" "6408001" "6452942" "6480712" "6501741" "6564059" "6587457" "6608832" "6621793" "6665537" "6680943" "6690679" "6711141" "6721269" "6731617" "6731639" "6778496").PN. OR ("6990086"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/01 14:23
S38	32	("20010027490" "20020064164" "20020067704" "20020105922" "20020122432" "20040032844" "5568478" "5586121" "5610910" "5818845" "5828666" "5991292" "6005580" "6075792" "6115370" "6327254" "6408001" "6452942" "6480712" "6501741" "6564059" "6587457" "6608832" "6621793" "6665537" "6680943" "6690679" "6711141" "6721269" "6731617" "6731639" "6778496").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/01 14:24
S39	1	"6977917".pn.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 14:36
S40	6	proxy server with IP with radius server	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 16:52
S41	9	proxy with IP with radius server	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 16:53
S42	5952	proxy with IP	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 16:54
S43	311	proxy with IP with authenticat\$3	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 16:54
S44	1	proxy server with (compar\$3 or map \$4) with IP header	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 17:16
S45	411	(compar\$3 or map\$4) with IP header	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/01 17:18

S46	53	(compar\$3 or map\$4) with source IP address same IP header	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/02 07:12
S47	344	(compar\$3 or map\$4) with IP address same IP header	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/02 07:15
S48	30	(compar\$3 or map\$4) with IP address same IP header same application layer	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/02 07:34
S49	1	(compar\$3 or map\$4) with (IP near2 address near2 source) same IP header same application layer	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/02 08:11
S50	16	(compar\$3 or map\$4) with (IP near2 address near2 source) same proxy server	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/02 08:13
S51	266	(compar\$3 or map\$4) with (IP near2 address near2 source) same server	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/02 08:22
S52	38	(compar\$3 or map\$4) with (IP near2 address near2 source) same proxy	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/02 08:22
S53	0	(routing module) same (entry point) same ID	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/02 17:07
S54	375	UMTS and (GSP\$1 or GSM) with (authentikat\$3 or log\$4in) and rout \$3	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 10:07
S55	143	UMTS and (GSP\$1 or GSM) with (authentikat\$3 or log\$4in) same rout \$3	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 10:07
S56	191	(rout\$3 or rout\$3 module) same ((UMTS and (GSP\$1 or GSM)) or packet) with entry point	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 10:19
S57	105	(route or routing or routing module) same ((UMTS and (GSP\$1 or GSM)) or packet) with entry point	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 10:23
S58	0	(route or routing or routing module) same ((UMTS and (GSP\$1 or GSM)) and packet) with entry point	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 10:26
S59	1	(route or routing or routing module) same ((UMTS or (GSP\$1 or GSM))) with entry point	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 10:27
S60	10	(route or routing or routing module) same ((UMTS or (GSP\$1 or GSM))) same entry point	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 10:32
S61	4122	(route or routing or routing module) same ((UMTS or (GSP\$1 or GSM)))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 10:35
S62	629	(route or routing or routing module) same ((UMTS and (GSP\$1 or GSM)))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 10:37
S63	132	(route or routing or routing module) with ((UMTS and (GSP\$1 or GSM)))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 10:37

S64	13	((route or routing or routing module) or switch) with (("2"\$1G "2.5"\$1G and ("3"\$1G)))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 11:10
S65	0	((route or routing or routing module) or switch) with (((("2"\$1G or "2.5"\$1G) and ("3"\$1G)))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 11:33
S66	827	(Proxy Call State Control Function or P\$1CSCF) and (IP or IP address or IP header)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 14:05
S67	36	(Proxy Call State Control Function or P\$1CSCF) and (compar\$3 with (IP or IP address or IP header))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/03 14:05
S68	1793	(370/349).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/06 11:16
S69	0	(370/349andS29).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/10/06 12:50
S72	1	11/566584	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/03 10:30
S73	0	"11566584".app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/03 10:31
S74	1	10/566584	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/03 10:32
S75	862822	(user subscriber client) with (requir \$3 request\$3 apply\$3) (IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/03 10:41
S76	0	((("((usersubscriberclient)with(requir \$3request\$3apply\$3need\$4demand \$3)(IP))" or ("compar\$6)with (matchsameequal\$2)")).PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/03 13:51
S77	2	"6977917".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 16:16
S78	1550	(request\$4 context) near10 ((assign \$4 giv\$3 allocat\$4 admeasur\$4 allow \$4) near3 (IP address)) near10 (((user log\$1in) adj (name ID)) ID number PrivID Public ID context pre \$1record\$3 adj ID)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 17:13

S79	3	(request\$4 context) near10 ((assign\$4 giv\$3 allocat\$4 admeasur\$4 allow\$4) near3 (IP address)) near10 (((user log\$1in) adj (name ID)) ID number PrivID Public ID context pre\$1record\$3 adj ID) and ("20040730")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 17:14
S80	1029	(request\$4 context) near10 ((assign\$4 giv\$3 allocat\$4 admeasur\$4 allow\$4) near3 (IP address)) near10 (((user log\$1in) adj (name ID)) ID number PrivID Public ID context pre\$1record\$3 adj ID) and (@ad<"20040730")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/06 17:14
S81	35	(request\$4 context) near10 ((assign\$4 giv\$3 allocat\$4 admeasur\$4 allow\$4) near3 (IP address)) near10 (((user log\$1in) adj (name ID)) ID number PrivID Public ID context pre\$1record\$3 adj ID) near5 (compar\$4 match\$4 equal)and (@ad<"20040730")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 14:05
S82	1	((general adj packet adj radio adj service) or (GPRS or (universal adj mobile adj tele\$1communication adj system) or (UMTS))) near10 ((assign\$4 giv\$3 allocat\$4 admeasur\$4 allow\$4) near3 (IP address)) near10 (((user log\$1in) adj (name ID)) ID number PrivID Public ID context pre\$1record\$3 adj ID) near5 (compar\$4 match\$4 equal)and (@ad<"20040730")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 17:20
S83	5	((reciev\$4 get\$4) near10 (requist\$3 quest\$4 context) same ((assign\$4 giv\$3 allocat\$4 admeasur\$4 allow\$4) near5 (IP)) near10 (((user log\$1in) adj (name ID)) ID number PrivID Public ID context pre\$1record\$3 adj ID)) and (2G "2.5G" (general adj packet adj radio adj service) GPRS (universal adj mobile adj telecommunication adj system) UMTS) and (@ad<"20040730")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 17:29
S84	4	((reciev\$4 get\$4) near10 (requist\$3 quest\$4 context) same ((assign\$4 giv\$3 allocat\$4 admeasur\$4 allow\$4) near5 (IP)) near10 (((user log\$1in) adj (name ID)) ID number PrivID Public ID context pre\$1record\$3 adj ID)) and (proxy server) and (@ad<"20040730")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 18:14
S85	0	S84 not S83	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 18:14

S86	0	((assign\$4 giv\$3 allocat\$4 admeasur\$4 allow\$4) near5 (IP)) near10 (((user log\$1in) adj (name ID)) ID number PrivID Public ID context pre \$1record\$3 adj ID)) and (proxy adj server) and (radius adj server) and (@ad<"20040730")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/07 18:15
S87	39	(compar\$4 match\$4) with (IP) with (application adj4 layer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 18:34
S88	20	((compar\$4 match\$4) with (IP) with (application adj4 layer)) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 18:36
S89	663	((pars\$4 seperat\$4) near10 IP (application adj4 layer)) near10 (compar\$4 match\$4)) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 18:45
S90	0	((pars\$4 seperat\$4) near10 IP near10 (application adj4 layer)) near10 (compar\$4 match\$4)) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 18:46
S91	0	((pars\$4 seperat\$4) with IP near10 (application adj4 layer)) near10 (compar\$4 match\$4)) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 18:46
S92	0	((pars\$4 seperat\$4) with IP with (application adj4 layer)) same (compar\$4 match\$4)) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 18:47
S93	10	((pars\$4 seperat\$4) with IP with (application adj4 layer))) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 18:47
S94	103	((pars\$4 seperat\$4 proxy) same IP with (application adj4 layer))) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 18:52
S95	93	S94 not S93	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 18:52
S96	2	((pars\$4 seperat\$4 proxy) same IP with (application adj4 layer)) same (compar\$4 match\$4)) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 18:53

S97	107	(SIP with IP same (compar\$4 match \$4)) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 19:19
S98	29	(SIP with (IP near10 (compar\$4 match\$4))) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/08 19:20
S99	2	"6977917".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 09:53
S100	2	roust\$4 near10 ((proxy adj call adj state adj control) or P?CSCF) near10 (ID name privID) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/09 12:29
S101	14117	protocol with SIP	US-PGPUB; USPAT	OR	ON	2009/07/22 16:31
S102	720	protocol with SIP same rout\$5 same proxy	US-PGPUB; USPAT	OR	ON	2009/07/22 16:32
S103	214	(protocol with SIP same rout\$5 same proxy) and (@ad<"20040131")	US-PGPUB; USPAT	OR	ON	2009/07/22 16:33
S104	0	roust\$4 with SIP with prxy	US-PGPUB; USPAT	OR	ON	2009/10/14 15:16
S105	986	roust\$4 with SIP with proxy	US-PGPUB; USPAT	OR	ON	2009/10/14 15:16
S106	13	roust\$4 with SIP with proxy.ab.	US-PGPUB; USPAT	OR	ON	2009/10/14 15:17
S107	0	roust\$4 with SIP with proxy with p? cscf.ab.	US-PGPUB; USPAT	OR	ON	2009/10/14 15:27
S108	0	(roust\$4 with SIP with proxy with p? cscf).ab.	US-PGPUB; USPAT	OR	ON	2009/10/14 15:28
S109	40	(roust\$4 with SIP with proxy with p? cscf)	US-PGPUB; USPAT	OR	ON	2009/10/14 15:28
S110	12	(roust\$4 with SIP with proxy with p? cscf) and @ad<"20040730"	US-PGPUB; USPAT	OR	ON	2009/10/14 15:28
S111	2	"60449432"	US-PGPUB; USPAT	OR	ON	2009/10/14 16:14
S112	0	(roust\$4 with proxy with p?cscf with GPRS with UMTS)	US-PGPUB; USPAT	OR	ON	2009/10/14 17:16
S113	204	(roust\$4 with GPRS with UMTS)	US-PGPUB; USPAT	OR	ON	2009/10/14 17:16
S114	50	(@ad<"20040730") AND ((router firewall filter) near5 (determin\$4 perform\$4) with (roust\$4 path\$4) with (node hop)) AND ((protocol near2 SIP))	US-PGPUB; USPAT	OR	ON	2009/10/15 10:12

S115	5	((@ad<"20040730") AND ((router firewall filter) near5 (determin\$4 perform\$4) with (rout\$4 path\$4) with (node hop)) AND ((protocol near2 SIP) with (re\$2direct\$4 forward\$4 send\$4)))	US-PGPUB; USPAT	OR	ON	2009/10/15 10:12
S116	6	((@ad<"20040730") AND ((router firewall filter) near5 (determin\$4 perform\$4) with (rout\$4 path\$4) with (node hop)) AND ((determin\$6 check\$4 verify\$4 exam\$7) near7 (SIP) near5 (packet message protocol mechanism))	US-PGPUB; USPAT	OR	ON	2009/10/15 10:12
S117	31	((@ad<"20040730") AND ((router firewall filter) near5 (determin\$4 perform\$4) with (rout\$4 path\$4 node hop)) AND ((determin\$6 check\$4 verify\$4 exam\$7) near7 (SIP) near5 (packet message protocol mechanism))	US-PGPUB; USPAT	OR	ON	2009/10/15 10:12
S118	6	((@ad<"20040730") AND ((router firewall filter) near5 (determin\$4 perform\$4) with (rout\$4 path\$4) with (node hop)) AND ((protocol near2 SIP)) and CMS	US-PGPUB; USPAT	OR	ON	2009/10/15 10:30
S119	36845	(726/12,713/150;726/22-33;713/153-154;726/2-3,11-15;709/249,246-247;713/168-174,182-186,202;709/229,225;726/2-8).ccls.	US-PGPUB; USPAT	OR	ON	2009/10/15 17:00
S120	23462	(726/12,713/150;726/22-33;713/153-154;726/2-3,11-15;709/249,246-247;713/168-174,182-186,202;709/229,225;726/2-8).ccls. and @ad<"20040730"	US-PGPUB; USPAT	OR	ON	2009/10/15 17:01
S121	114	(SIP with IP same (compar\$4 match\$4)) and @ad<"20040730"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/15 17:01
S122	12	(726/12,713/150;726/22-33;713/153-154;726/2-3,11-15;709/249,246-247;713/168-174,182-186,202;709/229,225;726/2-8).ccls. and @ad<"20040730" and S121	US-PGPUB; USPAT	OR	ON	2009/10/15 17:01
S123	204	(rout\$4 with GPRS with UMTS)	US-PGPUB; USPAT	OR	ON	2009/10/15 17:02
S124	1	(726/12,713/150;726/22-33;713/153-154;726/2-3,11-15;709/249,246-247;713/168-174,182-186,202;709/229,225;726/2-8).ccls. and @ad<"20040730" and S123	US-PGPUB; USPAT	OR	ON	2009/10/15 17:02

S125	117	((receiv\$4 accept\$4 get\$4) near10 ((context near3 request) PDP (context adj creation adj request))) and ((receiv\$4 accept\$4 get\$4) near10 (msisdn IMSI))	US-PGPUB; USPAT	OR	ON	2010/03/08 17:31
S126	14	((receiv\$4 accept\$4 get\$4) near10 ((context near3 request) PDP (context adj creation adj request))) and ((receiv\$4 accept\$4 get\$4) near10 (msisdn IMSI)) and ((compar \$4 or match\$4) near (IP MSI SDN IMSI PRIID))	US-PGPUB; USPAT	OR	ON	2010/03/08 17:45
S127	45783	((receiv\$4 accept\$4 get\$4 gather\$4) with (check\$1ID ID identifier IP MSI SDN IMSI) with (subscriber user)) and ((receiv\$4 accept\$4 get \$4 gather\$4) with (privID or (private adj ID) or check\$1ID ID identifier IP MSI SDN IMSI) with (subscriber user))	US-PGPUB; USPAT	OR	ON	2010/03/09 16:46
S128	123	((receiv\$4 accept\$4 get\$4 gather\$4) with ((check\$1in adj1 ID) (IP adj2 address)) with (subscriber user)) and ((receiv\$4 accept\$4 get\$4 gather \$4) with (privID or (private adj ID) or privID MSI SDN IMSI) with (subscriber user))	US-PGPUB; USPAT	OR	ON	2010/03/09 16:49
S129	67	((receiv\$4 accept\$4 get\$4 gather\$4) with ((check\$1in adj1 ID) (IP adj2 address)) with (subscriber user)) and ((receiv\$4 accept\$4 get\$4 gather \$4) with (privID or (private adj ID) or privID MSI SDN IMSI) with (subscriber user)) and @ad<"20040730"	US-PGPUB; USPAT	OR	ON	2010/03/09 16:49
S130	48	((receiv\$4 accept\$4 get\$4 gather\$4) near15 ((check\$1in adj1 ID) (IP adj2 address)) near15 (subscriber user)) and (((receiv\$4 accept\$4 get\$4 gather\$4) near15 (privID or (private adj ID) or privID MSI SDN IMSI) near15 (subscriber user))) and @ad<"20040730"	US-PGPUB; USPAT	OR	ON	2010/03/09 17:00

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	2	((receiv\$4 accept\$4 get\$4 gather \$4) near15 ((check\$1in adj1 ID) (IP adj2 address)) near15 (subscriber user)) and (((receiv\$4 accept\$4 get \$4 gather\$4) near15 (privID or (private adj ID) or privID MSI SDN IMSI) near15 (subscriber user))). clm. and @ad<"20040730"	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 15:02

L11	131	((receiv\$4 accept\$4 get\$4 gather\$4) with ((check\$1in adj1 ID) (IP adj2 address)) with (subscriber user)) and ((receiv\$4 accept\$4 get\$4 gather\$4) with (privID or (private adj ID) or privID MSISDN IMSI) with (subscriber user))	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 15:03
L12	20	((receiv\$4 accept\$4 get\$4 gather\$4) with ((check\$1in adj1 ID) (IP adj2 address)) with (subscriber user)) and ((receiv\$4 accept\$4 get\$4 gather\$4) with (privID or (private adj ID) or privID MSISDN IMSI) with (subscriber user)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 15:04
L13	18	12 not 10	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 15:04
L19	1	((((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near5 (entry (entry adj2 point))) near20 (message request) near15 ((PrivID ID (private near2 identifier) MSISDN IMSI)) near20 ((session adj initialed adj protocol) or SIP)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 15:10
L20	8	((((rout\$4 redirect\$4 re\$1direct\$4 connect\$4) near10 (entry (entry adj2 point))) with ((session15 not "14" adj initialed adj protocol) or SIP)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 15:11
L21	0	rout\$4 same ((session adj initiated adj protocol) or SIP) with proxy	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 15:14
L22	0	rout\$4 same ((session adj initiated adj protocol) or SIP) same proxy	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 15:14
L23	2211	rout\$4 same ((session adj initiated adj protocol) or SIP) same proxy	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 15:14
L24	2211	rout\$4 same ((session adj initiated adj protocol) or SIP) same proxy	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 15:14
L25	77	(rout\$4 same ((session adj initiated adj protocol) or SIP) same proxy).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/03/11 15:15

3/ 11/ 2010 3:32:49 PM

C:\ Documents and Settings\jsims2\ My Documents\ EAST\ Workspaces\ 10566584.wsp